

# televic

Meetings more  
efficient, streamlined  
and flexible than ever

Everything you need for on-site  
and hybrid meetings, with voting  
& interpretation



CONFERENCE

TELEVIC  
HEADQUARTERS,  
BELGIUM



# Making your meetings more streamlined and flexible than ever

- + Physical, remote & hybrid meetings
- + Crisp, clear audio
- + Airtight privacy & security
- + User-friendly voting & interactivity
- + Interpretation solutions



Televic Conference has been a reference in **speech amplification and modular solutions** for council meetings for decades. Our internationally acclaimed technologies are used by international institutions with the most demanding requirements, such as the **NATO headquarters**, the **European Parliament** and the **World Health Organisation**. But our solutions are also available on a smaller scale, with hardware and software set-ups tailored to the specific needs of local city councils.

# Televic

## An introduction



A GLOBAL CUSTOMER PORTFOLIO: FROM CITY COUNCILS TO LARGE INSTITUTIONS



CUSTOM MADE SOLUTIONS

### AWARD WINNING DESIGNS



### TRUSTED BY



AND MANY MORE...



INTERNATIONAL ORGANISATION,  
GENEVA, SWITZERLAND

# Meet the key players



## uniCOS TT

- + All in one multimedia device
- + Increased participant engagement
- + Connects to any remote platform
- + Chairperson meeting moderation:  
speaker list / request list / video /  
agenda / delegates

## Lingua ID

- + ISO compliant
- + Intuitive & ergonomic design
- + Hearing protection technology
- + Video distribution capabilities  
(HDMI port)





## D-CERNO

- + Plug & play or Connect & Meet
- + Hear and be heard
- + Built-In recording
- + Redundancy and hot swap

## Confidea FLEX Wired

- + One FLEX, many faces (button change delegate, chairperson, dual use)
- + Grows with needs of customer



## Confidea FLEX G4 Wireless

- + Worry free wireless
- + Built with security in mind
- + MEET in 1 – 2 – 3 (button WAP & connection screen to meeting mode transition)
- + Smart battery management



# Product range Overview



## FLUSHMOUNT UNITS

- Confidea F ..... 30
- D-CERNO F ..... 37
- Custom ..... 40

## CENTRAL CONFERENCE UNITS

- Plixus system ..... 10

## TABLETOP UNITS

- Confidea FLEX Wired ..... 18
- Confidea FLEX Wireless ..... 24



## MULTIMEDIA UNITS

- uniCOS ..... 48
- V-in / V-out ..... 52



## SOFTWARE

Confero 360.....	74
Confero PLAN.....	78
Confero CAM.....	82
Confero MEET.....	88
CoCon.....	92
T-REX.....	96

## PLIXUS NAMEPLATE

Plixus Nameplate.....	54
-----------------------	----

## PLUG AND PLAY


D-CERNO.....	58
--------------	----

## CAMERA TRACKING

Camera tracking.....	62
----------------------	----

## INTERPRETATION SOLUTIONS

Lingua ID.....	66
Lingua IR.....	68



## ACCESSOIRES

Microphones.....	100
Headphones.....	104
Cables & more.....	106

# Plixus system


## Reliability, performance, interoperability



The Plixus network is an **advanced** conferencing **network** that allows:

- + 64 audio channels of "broadcast" quality
- + 6 low-latency HD video streams
- + Voting results
- + Documents
- + Interactive data
- + Power supply through Cat 5e cabling

DRAWING OF THE COMPLETE PLIXUS NETWORK



**Wired Coupling**

- |                             |                   |                             |                              |
|-----------------------------|-------------------|-----------------------------|------------------------------|
| 1. Plixus Multimedia Engine | 7. Confidea F     | 13. Plixus Nameplate        | 19. Video Source             |
| 2. Plixus NEXT              | 8. Confidea T     | 14. Video SELECT Panel      | 20. T-CAM Video Switcher     |
| 3. Plixus Power Supply      | 9. Confidea FLEX  | 15. Video Conference System | 21. Dante™ Enabled Device    |
| 4. CoConSoftware&DataServer | 10. uniCOS F-MM7  | 16. Video-IN Box            | 22. T-REX Recording Software |
| 5. Linua Interpreter Desk   | 11. uniCOS F-MM10 | 17. Video-OUT Box           |                              |
| 6. HD monitor               | 12. uniCOS T-MM10 | 18. IP-CAM50                |                              |

- 23. Confidea G4 WCAP
- 24. Confidea G4 DV

**Wireless Coupling**

## Central conference unit


Thanks to the automatic input and output connectivity of all units, the network is completely redundant, for great reliability. Furthermore, the units can be replaced without interrupting the signal.

Whether it is a city council that would like to extend its wired solution with some wireless units, or a regional council that's looking for a multimedia solution for the president as well as wired Confidea FLEX units for the participants in the room, the unique mix-and-match

functionality can connect all types of units within one system.

The Plixus network responds to your need for flexibility in the meeting rooms of today.

Even though the Plixus network is a closed network based on proprietary technology, the Plixus central unit allows to connect to third-party solutions. The audio can interface through SDI and HDMI, the conference data via open API.



DRAWING OF THE PLIXUS NETWORK

- Plixus network
- HD video
- Documents
- HD audio
- IP
- Controlled data

# Plixus products

## Plixus MME

The Plixus Multimedia Engine is autonomous, 19" rack-mountable (2U), manages the conference and integrates the processing and management of the necessary signal of the multimedia part. On the back, there are 4 RJ45 conference network ports (standard cables FTP Cat 5E AWG24), the redundant Dante ports, 3 analog inputs, 3 analog outputs and a HD-SDI video input. The LAN configuration port allows to access the internet web server and to connect to the CoCon Room Server or Plixus Gateway. To benefit from the multimedia functionalities, you need the CoCon Discussion software or Confero (not included).

71.98.2900



PLIXUS MME

## Plixus AE-R

The Plixus Audio Engine with Recording is 19" rack-mountable. This central 1U is autonomous, manages the conference and integrates the processing and management of the necessary signal of the "audio only" part. Power supply up to 220W included (+/- 40 units). On the back, there are 4 RJ45 conference network ports (standard cables FTP Cat. 5E AWG24), 2 redundant Dante ports (card optional), 3 analog inputs, 3 analog outputs and a USB 2.0 port for audio recording. The LAN port allows to access the web-based interface or to connect the CoCon Room Server. A second power supply can be connected.

71.98.2902



PLIXUS AE-R

## Plixus NEXT

The Plixus Network Extender is a unit used to increase the number of available ports of the Plixus network and to create a redundant system. Plixus NEXT needs a 48 V power supply through Plixus PS. It offers 4 additional conference ports.

71.98.2911



PLIXUS NEXT 71.98.2911



In Televic Conference we have found a partner who thinks along with us and allows us to support the decision-making process in an efficient and transparent manner.

ARNOUT VAN KOOIJ,  
GEMEENTE IJSSELSTEIN, NEDERLAND



### PLIXUS PS

External power supply for NEXT. Plixus PS is a 1U device which has 1000 W (48 V - 21 A).

71.98.2930



### PLIXUS GATEWAY

71.98.3100

The Plixus Gateway is part of Televic's Confero Cloud solution. The 19" rack-mountable device acts as a flexible and secure bridge between Cloud-based services and the Plixus engine in your premises. By controlling and securing the traffic in and out between the Internet and the conferencing room, the Gateway can transfer audio, video and conference data without you having to worry about security threats.



71.98.2931

### PLIXUS AE-R PS

Additional power supply (220 W) for Plixus AE-R



71.98.2950

### DANTE AUDIO NETWORKING CARD

The Dante audio networking card is a plug-in card that fits inside Plixus MME and Plixus AE-R, and provides a user-friendly digital audio distribution interface. This card allows to insert or take out up to 64 audio channels out of Plixus MME or Plixus AE-R.



EUROPEAN COURT  
OF JUSTICE,  
LUXEMBOURG







# Confidea FLEX Wired

## One single unit with different faces



The **Confidea FLEX** device **adapts** to the needs of every meeting or conference.

**Delegates can become chairpersons** with a single movement, **and the other way around**. The chairperson controls the meeting by starting and pausing the meeting, selecting the next person on the speaker request list, the agenda, the voting sessions and the recordings.



71.98.0131

### CONFIDEA FLEX

Wired tabletop unit, with touch screen, integrated speaker, microphone connector, NFC badge reader, microphone buttons with hidden LED lights, braille guides, Bluetooth support to connect devices for hearing impaired people. Microphone sold separately.

## The most versatile tabletop conference device

Confidea FLEX is a tabletop conference device with a touch screen. Developed with a durable housing in zinc and aluminum, the device is stable and does not move, even when moving the microphone. The touch screen of the Confidea FLEX allows you to see what is relevant: the agenda, speech time, interpretation channels, and so much more. The special feature of the system is the possibility to extend the functionalities of the device with additional licences. It grows with the needs of the room and adapts to you and your meeting.



## A mix-and-match conference solution

The Confidea FLEX device works with the architecture of the Plixus network and can be combined with other systems compatible with the Plixus network as well. Thanks to the mix-and-match, it is possible to connect Confidea FLEX to the uniCOS multimedia system, depending on whether the participants want to follow the meeting on their own screen or on the big screen.

### L-VT (VOTE)

71.98.1401

Voting licence. The number of buttons is configurable from 2 to 10 virtual options. The total result is visible after the voting.

### L-ID (IDENTIFICATION)

71.98.1402

Participant identification licence. This licence allows the users to identify themselves with an RFID or NFC badge.

### L-LS (LANGUAGE SELECTION)

71.98.1403

Participant language selection licence. This licence allows the users to select one of the interpretation channels.

### L-DU (DOUBLE USE)

71.98.1404

Licence that allows 2 delegates to use the unit. There are 2 speaker request buttons, 2 interpretation channel selectors, 2 identifications and 2 simultaneous votings. For L-VT, L-ID, L-LS, you need licences for each delegate.

# The next generation of meetings made easy

Choose the best solution in the market.



**ULTIMATE FLEXIBILITY**



**WORRY-FREE WIRELESS**



**SMART BATTERY  
MANAGEMENT**



**BUILT FOR SECURITY**



reddot winner 2020





- + Do you need flexible meeting possibilities in different rooms of your facilities?
- + Do you manage multi-purpose spaces with varying room layouts according to the occasion?
- + Are COVID-19 regulations forcing you to change your set-ups and add remote functionalities?
- + Do you rent meeting equipment on an as-needed basis?

These are all very real scenarios that have one thing in common: they all make you wish you had a meeting system that is **quick and easy to deploy**. Well, your wish is about to come true: discover how Televic's new Confidea FLEX G4 wireless solution has you covered.

Confidea FLEX G4 wireless is a solution that offers **unparalleled versatility and flexibility** in the number of participants, conferencing options over different rooms and meeting configurations that are 100% cable- and worry-free.



reddot winner 2021



# An astonishing design.

Design-wise, the Confidea FLEX G4 wireless solution continues on the road paved by its wired predecessor. A very deliberate choice, as this existing design was among the happy few to convince the jurors of the **Red Dot awards** who commented on the solution as follows: 'This conference device is designed to be **user-friendly**. Its carefully considered concept **guarantees well-organised meetings**.'

# Confidea FLEX Wireless

## See & feel the difference

The Confidea FLEX G4 touch screen gives you additional control and information. It allows you to see what's relevant on-screen depending on the context: agenda, voting, and more.

Confidea FLEX G4 doesn't just look different. It feels different, too. For special interactions such as voting, the display uses **haptic feedback**. The screen recreates the physical touch experience by gently vibrating. Select a voting option, and the display will respond to give you an extra layer of confidence in casting a vote.

Visually impaired users enjoy braille indicators and 5 guides underneath the screen to make Confidea FLEX G4 easier to use.

Confidea FLEX G4 starts from a durable alloy of zinc and aluminum to create a **stable device** that does not budge at all when you move around the microphone. It was expertly adjusted to ensure a flawless weight distribution.





1. **5.2-inch Full-color Touch Screen.** Haptic feedback and anti-fingerprint coating
2. **3.5mm Headphone Jack.** Left and right side for easy access
3. **Badge Reader Slot.** Including NFC: tap to identify
4. **Microphone button with hidden LEDs.** LED icons light up depending on functionality and activated license: microphone, dual microphone, priority
5. **Braille Indicators.** Triple dots underneath microphone button, individual dots underneath touch screen
6. **Mike.** Push and lock USB-C microphone
7. **Built-in Speaker.** Engineered with Televic rich sound processing
8. **Dual Status LEDs.** Display active microphone or request-to-speak status
9. **Light sensor.** Automatically adjusts luminance of the screen.
10. **Screw openings.** Option to fix unit to table
11. **USB-C port.** Power your device even without batteries connected
12. **Dual battery capability.** Hot-swap battery redundancy
13. **Batteries.** Push to test capacity

## Smart battery management

Designed for portability, the Televic Confidea G4 Wireless will not let battery life get in the way of a productive meeting. For this reason, each wireless unit comes with a compact Li-ion battery that offers **12 hours of autonomy** on a full 2-hour charge. Enough for a full day of meetings.

For even longer up-time, **a second battery** can be added in a dual compartment, and the device can also run on a standard USB-C charger. It goes without saying that the **remaining battery time can be monitored** on each unit through the access point's software interface.



**CONFIDEA BP G4**

Rechargeable battery

71.98.0045



**CONFIDEA CHT G4**

Smart battery charger

71.98.0046



71.98.0081

**CONFIDEA FLEX G4**

Touch enabled conference unit



71.98.0034

**CONFIDEA WAP G4**


Wireless access point



**CONFIDEA FLEX TC**

Transport case

71.98.0047



I am proud to see that our team has managed to turn years of experience and innovation into an unparalleled versatile wireless solution.

DIDIER ROSEZ,  
PRODUCT MANAGER AT TELEVIC CONFERENCE

### **Chairpersons are in control**

- + Use next-in-line to select the next person in a request list
- + Record meetings
- + Manage voting sessions

### **Delegates are in the know**

- + See who is speaking
- + See the speaker list
- + See the number of people in request
- + Vote and see the results

### **Operators create flow**

- + Add a custom welcome screen
- + Display the participant's name on screen for fixed seating
- + Show a welcome message



CITY COUNCIL,  
BERINGEN, BELGIUM



# Confidea F

## An integration wherever you want




**Plixus powered,**  
Confidea F integrates  
perfectly into different  
furnitures.

The Confidea F range is composed of **flushmount conference devices**. Plixus powered, they are developed to integrate perfectly into the furniture of different conference rooms, from meetings to parliamentary debates, councils and hemicycles. Thanks to its **simple and sturdy design** as well as **exceptional audio quality**, this selection of products enhances the intelligibility during meetings and debates, and professionalizes the working environment for thousands of delegates.

## OVERVIEW OF A WIRED INSTALLATION

1. Central conference unit Plixus AE-R
2. Confidea F-CI G3
3. Confidea F-DM
4. Confidea F-DIV
5. Confidea F-CV



## Easily organizing a meeting with and for different nationality's

Confidea F devices allow people from different nationalities to participate in a meeting in their native language. Its voting options, customisable with LED colors, allow to identify different choices during crucial voting sessions. This selection of products helps you create the ideal meeting environment by integrating, without any problems, the conference devices in the furniture: a solution that is at the same time easy, clean and discrete.

Its design takes the conference back to its essence.



# Confidea F products

71.98.0505



## CONFIDEA F-DM

Flushmount delegate unit with microphone connector.

MICROPHONE SOLD SEPARATELY.



Width: 155 mm  
Height: 50 mm  
Depth: 84 mm



71.98.0515

## CONFIDEA F-CM

Flushmount chairperson unit with microphone connector, Next-in-line and Priority button.

MICROPHONE SOLD SEPARATELY.



Width: 155 mm  
Height: 50 mm  
Depth: 84 mm



71.98.0501

## CONFIDEA F-DD

Flushmount all-in-one delegate unit with microphone connector and speaker.

MICROPHONE SOLD SEPARATELY.



Width: 180 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0511

### CONFIDEA F-CD

Flushmount all-in-one chairperson unit with microphone connector, speaker, Next-in-line and Priority buttons.

MICROPHONE SOLD SEPARATELY.



Width: 180 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0502

### CONFIDEA F-DV

Flushmount all-in-one delegate unit with microphone connector, speaker, 5 voting options and RFID card slot.

MICROPHONE SOLD SEPARATELY.



Width: 210 mm  
Height: 80 mm  
Depth: 70 mm



Televic Conference offers solutions we can count on.

CARL HOWELL,  
THOMPSON ELECTRONICS, U.S.

71.98.0512

### CONFIDEA F-CV

Flushmount all-in-one chairperson unit with microphone connector, speaker, 5 voting options, RFID card slot, Next-in-line and Priority buttons.

MICROPHONE SOLD SEPARATELY.



Width: 210 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0503

### CONFIDEA F-DI

Flushmount all-in-one delegate unit with microphone connector, speaker, interpretation channel selector with OLED display.

MICROPHONE SOLD SEPARATELY.



Width: 210 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0513

### CONFIDEA F-CI

Flushmount all-in-one chairperson unit with microphone connector, speaker, interpretation channel selector with OLED display, Next-in-line and Priority buttons.

MICROPHONE SOLD SEPARATELY.



Width: 210 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0504



### CONFIDEA F-DIV

Flushmount all-in-one delegate unit with microphone connector, speaker, 5 voting options, RFID card slot, interpretation channel selector with OLED display.

MICROPHONE SOLD SEPARATELY.



Width: 250 mm  
Height: 80 mm  
Depth: 70 mm





Our new microphone system has helped tremendously! We have always live-streamed our Council meetings, but once we implemented the microphone system, the quality and clarity came through and the audience could actually hear what was being said. It is very easy to use and set up.

KIM KEESLER,  
CITY CLERK, VILLAGE OF ALMONT, US

71.98.0514

### CONFIDEA F-CIV

Flushmount all-in-one chairperson unit containing: microphone connector, speaker, 5 voting options, RFID card slot, interpretation channel selector with OLED display, Next-in-line and Priority buttons.

MICROPHONE SOLD SEPARATELY.



Width: 250 mm  
Height: 80 mm  
Depth: 70 mm



71.98.0551

### CONFIDEA F-CS

Autonomous interpretation channel selector with OLED display indicating the number, abbreviation of the name of the language and the volum.



Width: 250 mm  
Height: 80 mm  
Depth: 70 mm



**Excellent customer  
satisfaction score**

INDEPENDENT CLIENT SURVEY 2020



**8,6**



CITY HALL,  
BÆRUM, NORWAY



SRM UNIVERSITY,  
KATTANKULATHUR, INDIA

# D-CERNO F

## Back to the basics



Width: 150 mm  
Height: 50 mm  
Depth: 70 mm

### D-CERNO F-DM

Delegate microphone panel for basic discussion systems. Minimalistic integration into any meeting room furniture. Microphone on/off button and microphone connector.

MICROPHONE SOLD SEPARATELY

71.98.0311



Width: 150 mm  
Height: 50 mm  
Depth: 40 mm

### D-CERNO F-CM

Chairman microphone panel for basic discussion systems. Minimalistic integration into any meeting room furniture. Microphone on/off, priority and next-in-line buttons, and microphone connector.

71.98.0312

MICROPHONE SOLD SEPARATELY



# Customization at your fingertips

Whether it's a flushmount unit with a unique design, **additional buttons** or **engravings** in another language. Create a solution that makes your meeting room complete, with products that integrate perfectly into your furniture, or stand out by design. From the look to the functionalities. From a **personalised logo** to **additional power supply ports**. **Customize the product** that will meet to your needs in the best possible way.




## Tailored from A to Z

GET EVERY DETAIL JUST RIGHT. COLORS, MATERIALS, TEXT, YOUR LOGO, AND MORE.



## Form and function

WHY STOP AT LOOKS ALONE? CONSIDER ADDING FUNCTIONALITIES NOT AVAILABLE IN OFF-THE-SHELF PRODUCTS.



## At home, anywhere

FROM HISTORICAL ROOMS TO ARMRESTS IN FURNITURE, CUSTOM UNITS FIT IN EVERYWHERE.

# Custom For a unique solution




Create a **solution**  
**that complements**  
**your venue.**

Get your meeting room tailored to your exact demands. Televic offers complete **custom solutions**, from **flushmount panels** to **wired conference devices** or solutions with **new functionalities**. Every detail counts to meet the requirements of your conference room.

## OVERVIEW OF A CUSTOM INSTALLATION

1. Your Televic flushmount solution
2. Additional buttons
3. Microphone
4. Speaker
5. Confidea F-Box
6. Furniture of your choice



## Confidea F-based solution

Get your meeting room tailored to your exact demands. Whether it's flushmount panels with a special finishing, in different colors, with extra buttons or even screening in your native language, make the Televic equipment blend in. Or make it stand out.

### Custom from A to Z

Every detail counts and must meet your expectations. Choose the shape, the color, the material, the number of buttons and corresponding functions, the text and even the logo.

### Extra functionalities

You can also add functionalities that are not included in the standard models, such as a plug to charge laptops and tablets, or USB ports. Discover the options and get a one-of-a-kind solution.



INTEGRATED DISCUSSION UNIT IN THE ARMREST WITH INTERPRETATION CHANNEL SELECTOR.



CONFIDEA F-DIV UNIT WITH BRAILLE EMBOSSED BUTTONS, 4 VOTING OPTIONS WITH ADAPTED SERIGRAPHY, BUTTON FOR INTERVENTION.



INTEGRATED DISCUSSION UNIT WITH USB PORTS, VOTING BUTTONS, AUDIO JACK, PERSONALISATION AND MANY MORE.

# Confidea F-BOX

## A DIY custom solution

The Confidea F-BOX is a standard custom solution with full audio experience for custom delegate and chairman units. It comes with embedded ports and connections to ensure a smooth and versatile integration in any audio scenario: use the connectors to plug a microphone, a microphone button to show its status, voting buttons, a loudspeaker, and even headphones. And since the Confidea F-BOX comes with the convenience of the Plixus architecture, a simple CAT 5e cable is all you need to connect it to the conference network.

## Minimalist integration

Simply connect the peripherals of your choice for a clean integrated solution: the Confidea F-BOX is a compact Plixus audio interface, perfectly designed to be installed under a table, between the armrests of a chair, underneath an elevated floor or in any other hidden place.



### CONFIDEA F-BOX

71.98.0522

Compact audio interface to be installed under a table, on the armrest of a chair or any hidden place. Embedded ports and connections for microphone, microphone button, voting buttons, customized buttons, loudspeaker, headphones.

### Features

- + Easy configuration for connecting a microphone, headphones, speakers, etc.
- + Effortless integration to the Plixus network with redundant Plixus ports.
- + Power over Plixus
- + Designed with high quality sound (24 bits / 48 Hz)
- + Can be configured as a chairperson or delegate unit via the software
- + Small footprint



### CONFIDEA F-BOX\_DL\_PBTN

71.98.0524

Delegate capacitive touch button with request-to-speak symbol, LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution.



### CONFIDEA F-BOX\_MIC

71.98.0523

Screw-lock microphone connector assembly with 1.2 m cable for easy connection to the Confidea F-BOX solution.



### CONFIDEA F-BOX\_BTN

71.98.0526

Mechanical push button with LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution. Comes without screening. A custom symbol can be applied to the surface.



### CONFIDEA F-BOX\_MF\_PBTN

71.98.0525

Delegate capacitive touch button with LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution. Comes without screening. A custom symbol can be applied to the surface.

**Conseil régional**  
des 14, 15 et 16 décembre 2020

NAS  
09/12/2020

(Légende continue vidéo)



LE CONSEIL RÉGIONAL  
D'ÎLE-DE-FRANCE,  
SEINE SAINT DENIS, FRANCE





David CHOI

PRESIDENT

televic



PRESIDENT

DAVID CHOI

televic

# uniCOS

## Decision-making made smarter, faster & precise




**Full of technology,** the range of uniCOS units provides all the relevant details.

Taking the right decisions in a limited time is a real challenge for organisations. However, it is essential that they can run meetings that without surprises and during which the participants have access to the necessary information, no matter the size of the organisation. Full of technology, the range of uniCOS units provides all the relevant details through a touch screen and helps capture the essence of the discussed topics.

## uniCOS and Plixus A cohesive integration

The content (agenda, discussion, speech time, etc.) appears on this touch screen and can be controlled and directed by the operator to increase the efficiency and attention of the meeting.

Thanks to the exceptional performance of the Plixus network, the participants can enjoy HD video with minimal delay compared to the entrance in the centre. Up to 6 video streams are sent simultaneously onto the Plixus network.



- |                     |                  |
|---------------------|------------------|
| 1. Plixus MME       | 5. uniCOS TMM 10 |
| 2. Plixus PS        | 6. uniCOS FMM 10 |
| 3. Plixus NEXT      | 7. uniCOS FMM 7  |
| 4. Plixus Nameplate |                  |

### Common features

- + Microphone activation button
- + Microphones sold separately
- + Screw-lock microphone connector
- + Built-in 5MP camera
- + Surface without edges for easy cleaning
- + RFID card slot for authentication
- + 3,5 mm stereo headphone connector
- + 2 USB 2 ports to connect a Plixus Nameplate or charge a phone
- + 6 low-latency video streams
- + Power supply on the Plixus conference network (RJ45) or through a 48 V cable
- + Combination possible of uniCOS units with Confidea units (wired and wireless) in the same network



# uniCOS products

71.98.2003

## UNICOS T/MM 10

Tabletop unit with adjustable touch screen.  
10" adjustable touch screen.





71.98.2001

## UNICOS F/MM 10

Flushmount unit with touch screen. Possibility to have the fingerprint option. 10" touch screen.



Width: 385 mm  
Height: 185 mm  
Depth: 50 mm



71.98.2002

## UNICOS F/MM 7

Flushmount unit with touch screen  
7" touch screen



Width: 295 mm  
Height: 135 mm  
Depth: 50 mm





### UNICOS F/MM10 BRACKET

71.98.2013

Mounting bracket for uniCOS F/MM10 with a 60° angle

### UNICOS F/MM7 BRACKET

71.98.2012

Mounting bracket for uniCOS F/MM7 with a 60° angle



### uniBOX


71.98.2004

Interface box which allows to provide the uniCOS experience on any HDMI touch screen, even retractable. This has to be combined with Confidea F (with a microphone button, loudspeaker, etc.) and is the solution for custom projects.

### OVERVIEW OF A UNICOS INSTALLATION

1. uniBOX
2. uniCOS F/MM 7
3. Deported microphone

\* Motorised screen





DEUTSCHE BÖRSE,  
FRANKFURT, GERMANY



TSCH  
BÖRSE  
FRANKFURT

- Recycle Bin
- Google Chrome
- Mediendata
- MEDIEN.TFC
- 13 Multimedia
- Scripts
- 13
- Fehlermeld...
- Cyberark.txt
- peisp.201.txt
- Creastich
- Remot...
- support.txt

BÖRSE  
FRANKFURT

DEUTSCHE BÖRSE  
GROUP

# V-in / V-out

## Supporting your multimedia units



The perfect companions to **insert** and **extract** any **video stream**

Take presentations, recorded video, live video and so much more, from a camera or a video conference, and make it available to any participant on any display or projector.

A simple **CAT 5E cable** is all that is needed to connect it to the network.

# V-in / V-out products



71.98.2920

## V-IN

Video-IN Box to insert visual content into the Plixus network through an HDMI connection. An inserted video channel through the box is routed to one of the 6 possible video streams on the Plixus network (CoCon Video Routing required). Content sharing available on the video-request panel (Plixus V-REQ) or through the available panel (Plixus V-SEL).



71.98.2922

## V-OUT

Video-OUT Box to extract a video stream from the Plixus network through an HDMI connection. By default, the 3G-SDI of Plixus MME is available via HDMI connection. Routing to other channels available on the Plixus network (CoCon Video Routing required). Flexible selection of video channels available on the Plixus network can be realised by connecting the video selector (Plixus V-SEL).



71.98.2921

## V-REQ

Video-REQUEST panel to connect to the Plixus V-IN to request that a participants' video stream becomes available on the Plixus network (optional).



71.98.2923

## V-SEL

Video-SELECT Panel (optional) to connect to the Plixus V-OUT to select different video channels on the Plixus network.

# Plixus Nameplate

## Identify your delegates



reddot design award  
winner 2019

Be **well recognized**,  
beyond the shadow  
of a doubt.

The Plixus Nameplate uses the **E-Ink technology** for optimal legibility. It displays **crisp text** with **high contrast** and a maximum viewing angle (180°). In addition, the information can be retained if the nameplate is powered off. The Plixus Nameplate display **eliminates reflections** and flickers, even when filmed or broadcasted.



71.98.2051

### PLIXUS NAMEPLATE

A double-sided nameplate based on the E-Ink technology can be connected in series to the Plixus Network or directly through USB to the uniCOS units. Speaker request is possible through the button at the bottom, LED strip on top. CoCon Nameplate required.

Ultra thin design : 9 mm

## Designed for legibility including a front and back screen

With a screen at the front and the back, the Plixus Nameplate gives everyone relevant information. Since **both screens work independently**, every participant sees just what he or she needs. Combined with a badge reader, the Plixus Nameplate can **automatically display the participant's name** as soon as a card is inserted.

Finally, the Plixus Nameplate has a **request to speak button** at the base and **an indicator at the top of the screen**. It allows participants to easily signal that they want to intervene and it gives chairpersons an easy indication of requests.







# D-CERNO

## The simplest tabletop unit



It stands out because of its digital technology, **elegant design** and **user-friendliness**.

D-CERNO is a discussion system intended to **small or medium-sized conference rooms**. It stands out because of its digital technology, elegant design and user-friendliness. The D-CERNO SL range offers **enhanced stability** and its **simple design** fits the times. As it is ventilator-free, the tabletop unit is perfectly silent and can be integrated in or placed on top of the table.

## Easy to use

The system automatically switches to stand-by mode when the meeting has ended, even when you forget to turn it off. The system is ready-for-use and has a fail-safe redundancy technology. There is no need for any specific technical knowledge to install or use the D-CERNO solution.



- + 4 digital RJ45 ports
- + Branche or loop connection
- + Control over 50 D-CERNO/SL units
- + Combine 3 central units for 150 units
- + Eco Power Safe mode
- + Lockable Power connection



71.98.0321

### D-CERNO CUR

Digital tabletop central unit for controlling up to 50 D-CERNO units (or D-CERNO SL). Integrated webserver for remote control through tablet or smartphone. Integration of a camera-tracking system is possible as well.

Thanks to 2 USB connectors on the front, the D-CERNO CUR allows to record the audio into WAV or MP3 format on a USB stick.



### D-CERNO SL TC

71.98.0333

High quality transport and storage case for a complete D-CERNO system, 12 D-CERNO SL units, 12 microphones (30cm, 40cm, 50cm) and one central unit, power supply and cables included.



71.98.0340

### D-CERNO PS

Power supply for D-CERNO CU and D-CERNO CU-R.

# D-CERNO products



71.98.0307

## D-CERNO C SL

Digital chairperson unit, request-to-speak button, Next-in-line and Priority button, immune to mobile phone interferences.



71.98.0306

## D-CERNO D SL

Digital delegate unit, request-to-speak button, immune to mobile phone interferences.



71.98.0303

## D-CERNO DL

Digital delegate unit, 50 cm microphone immune to mobile phone interferences, touch buttons for microphone and volume, integrated speaker, headphone output, comes with a 2-m cable.



71.98.0304

## D-CERNO CL

Digital chairperson unit, 50 cm microphone immune to mobile phone interferences, touch buttons for microphone, volume, Next-in-line and Priority, integrated speaker, headphone output, comes with a 2-m cable.



71.98.0301

## D-CERNO D

Digital delegate unit, 30 cm microphone immune to mobile phone interference, touch buttons for microphone and volume, integrated speaker, headphone output, comes with 2-m cable.



71.98.0302

## D-CERNO C

Digital chairperson unit, 30 cm microphone immune to mobile phone interference, touch buttons for microphone, volume, Next-in-line and Priority, integrated speaker, headphone output, comes with 2-m cables.



# Camera tracking


## A plug and play camera tracking system



Closing the gap between people by letting everyone **see and understand each other.**

Better meetings and better decisions start with **getting participants closer together.** Camera tracking closes the gap between people by letting everyone see and understand each other in close-up. T-CAM gives you an **easy way to install** camera tracking, to create talking heads, and to **configure different views.** On any Televic conference system. The result: crystal-clear video for better involvement.

OVERVIEW OF A CAMERA TRACKING INSTALLATION



T-CAM PACKAGE

Camera tracking solution compatible with Plexus, Confidea FLEX and D-CERNO systems. Consists of following items: 2 full HD cameras, video switcher, video capture card (only for preview. If used, desktop PC with PCI slot required!), camera tracking software + license for two cameras and converter cables.

SDI CABLES OR ETHERNET CABLES NOT INCLUDED.

71.98.1302

T-CAM NAME OVERLAY

Extension to the T-CAM Package to display the name of the delegate as an overlay on the video stream of the camera tracking solution

COCON DISCUSSION SOFTWARE REQUIRED.

71.98.1306

IP-CAM 70

Pan-Tilt-Zoom IP camera with Full HD 1080p output at 60 fps. 3G-SDI, Ethernet and HDMI interfaces. PoE enabled. Can be used as an extension to the T-CAM Package (SDI) or as camera for the T-Council package (SDI/IP). Consists of following items: 1 full HD camera, license for 1 extra camera in T-CAM and converter cable.

SDI CABLES OR ETHERNET CABLES NOT INCLUDED.



# The Lingua Interpreter Desk

The Lingua Interpreter Desk has everything on board to make an interpreter's job easier. The improved ergonomics, from the viewing angle to the button placement, make it more comfortable to work for longer periods.

Tactile buttons with braille indicators and even audible feedback give every interpreter tools to perform better. And a clear and flexible user interface allows you to see all information at a glance.





# Lingua ID

## Go beyond language barriers



**Pass the message**  
with **crystal clarity**  
in any language.

As an interpreter, experience an award-winning device. It is the result of a **innovative user-centered design**. Comfortable, user-friendly and with full ISO 20109:2016 compliance.

71.98.2100



### LINGUA ID

Audio-only interpreter desk. Can be connected to Plixus AE-R and MME. No software needed for the configuration of languages. Requires CoCon Interpretation for more than 11 languages or an advanced configuration.

MICROPHONE SOLD SEPARATELY.



### LINGUA ID-MM

71.98.2101

Multimedia interpreter desk. With the HDMI outlet, you can connect any HDMI screen to Lingua ID-MM to visualize one of the 6 video streams in the Plixus network. Can only be connected to Plixus MME, no need for software for the basic language configuration. Requires CoCon Interpretation for more than 11 languages or an advanced configuration.

MICROPHONE SOLD SEPARATELY.

## Lingua Interpreter Desk

Remove language barriers by making interpretation easy and user-friendly. The Lingua Interpreter Desk was designed by interpreters to give you maximum comfort and usability no matter where you work. With full ISO 20109:2016 compliance and powered by the Plixus Network. The perfect multilingual meeting starts here.





COURT OF JUSTICE OF THE EUROPEAN UNION,  
LUXEMBOURG



# Lingua IR

## Deliver a message perfectly clear



Making sure the audience is on the same wave length.

Lingua IR was developed to allow each participant to appreciate the message of the speaker. With **comfort** and **clarity**, and an **easy set-up**. The Lingua systems are equipped with a patented **automatic delay compensation**, which automatically adjusts the required delay on each radiator at the touch of a button to compensate for cable length.



# Lingua IR products



71.98.0215

## LINGUA T

Infrared transmitter capable of transmitting up to 40 channels. It is set by default to transmit 6 channels. Additional channels can be acquired with licences (Lingua L12, Lingua L40). The audio channels are transmitted through the integrated Dante interface.

Configuration of the transmitter through integrated webserver.



71.98.0205

## LINGUA R6

Infrared receiver for 6 channels. Battery included.

71.98.0206

## LINGUA R12

Infrared receiver for 12 channels. Battery included.

71.98.0208

## LINGUA R40

Infrared receiver for 40 channels. Battery included.

## LINGUA L40

71.98.0218

Licence upgrade of the transmitter to 40 channels.

71.98.0216

## LINGUA L12

Licence upgrade of the transmitter to 12 channels.



71.98.0220

## LINGUA RAD\_H

Digital infrared radiator (25W) with automatic delay compensation. Compact and light design.



71.98.0234

### LINGUA BP

Pack of 6 additional batteries for Lingua R receivers.



71.98.0225

### LINGUA RAD MOUNT

VESA wall mount for Lingua RAD H.  
Possible tilt from +75 to -10 degrees.



71.98.0235

### LINGUA CHC

Charging case to store and charge up to 64 Lingua IR receivers. Integrated webservice to know about the status of each receiver, updates, etc.



# Manage meetings, right from your own browser

Confero is Televic's newest solution for straightforward meeting management with an intuitive interface that is entirely web-based with a clear focus on user experience. There is no need to install dedicated software on a PC.

Go for our all-in-one simple solution for room setup and meeting control on the Plixus web server with Confero 360. Or choose modular cloud-based meeting management with advanced planning, camera configuration and/or hybrid meeting organization with Confero PLAN, CAM and MEET.



**No installation  
needed**



**Wizard based  
configuration**



**Simple meeting  
moderation**



**Meeting reporting**

# Confero 360

## All controls at your fingertips



Answers perfectly  
within **small and  
large conference  
situations.**


Confero 360 brings user roles and new features right to the core of the system, the Plixus engine. **All web-based**, so no need to install dedicated software on a PC. It allows a chairperson or operator to **control the meeting**, microphones, and voting as well as view the meeting report after the meeting.

## Confero enables a smooth setup

By focusing on solving key issues when setting up a conference system, Confero makes configuring the system easy and hassle-free. The software requires no installation on a PC and is pre-installed on the Plixus central unit. Simply access the software through any web browser and run the setup in one of the 28 supported interface languages.

Confero's quick setup wizard enables a smooth configuration of the system by focusing on just a few easy steps in a very intuitive interface, making installation even easier.

Devices are automatically detected and configured, making the system plug-and-play.



## Confero features

Adding a Confero 360 license makes managing meetings easier than ever before. Giving the operator or chairperson the dashboard to run the meeting without taking the focus away really enables smooth and flawless meetings.



### Room layout configuration

Configuring the room layout is a simple and effective way to see the location of the delegate microphones on your dashboard. Uploading a background image helps visualize the room layout. You can add microphones by dragging and dropping the seats onto the layout.



### Assign roles and functionalities

Confero 360 adds an Operator, Chairperson and Signage role which can be configured via several functionalities. Simply enable or disable the functionalities for each role, or disable the roles all together if the dashboard is not needed. This allows you to focus on the meeting.



### Meeting control

Once logged in as Operator or Chairperson, it's all about the meeting. Create a meeting template with delegates and RFID badges for identification, or simply drag delegates onto fixed seats. Once you start the meeting, you can easily manage the discussion by using the room layout and seat icons to enable or disable microphones, or by using the speaker and request list.




### Voting

Confero 360 also provides you with voting options. Simply start a voting round from the dashboard during a meeting, add an optional voting question and take your pick between different voting answers and even secret voting. Once the voting round has started, you can see the results on your dashboard and on the signage screen when logging in as the signage role.



### Meeting reports

An important part of your meeting is about reporting. Once a meeting is finished, a report and optional audio recording are made available in the Plixus engine, right from the dashboard. Simply access the meeting report which opens right in your browser, and save it as PDF or print it. The report contains the meeting details such as date, time and meeting room, as well as attendance and voting results.



### Signage

It's also important to engage the audience in the room. From any browser, log in as the signage role and see who is speaking and what the voting results are.

## Licenses

To unlock the Confero 360 functionality the following license is required:

**LICENSE CONFERO 360**

**71.98.3000**

CONFERO

- Setup Wizard
- Devices Setup
- License Setup
- Interpretation configuration
- Audio configuration
- Diagnostics
- Dark Mode
- Multilingual user interface
- Room Layout
- User Roles
- Meeting Template
- Delegate Information
- Electronic voting
- Badge Identification
- Signage
- Meeting Reports

CONFERO 360


- Setup Wizard
- Devices Setup
- License Setup
- Interpretation configuration
- Audio configuration
- Diagnostics
- Dark Mode
- Multilingual user interface
- Room Layout
- User Roles
- Meeting Template
- Delegate Information
- Electronic voting
- Badge Identification
- Signage
- Meeting Reports



COUNCIL OF THE EUROPEAN UNION,  
BRUSSELS, BELGIUM

# Confero PLAN

## Prepare your meetings upfront




The perfect solution to **organize, manage** and **control** your meetings for guaranteed efficiency.

Confero PLAN is Televic's newest solution for preparing meetings in advance. Since the application is web-based, the preparation can be done from anywhere by the Meeting Manager (City Clerk, Chairperson or Operator) directly on the Confero Cloud platform: they can create and manage a participants database, set up meeting templates, and of course publish meetings with structured agendas and voting items integrated upfront.

# Confero PLAN features

The Confero platform has a very intuitive interface from which the Meeting Manager can plan and organize meetings into details:




## Create and manage a delegates database

Add, edit and delete users, reset their password and assign them roles (delegate, chairperson, guest or operator).



## Create meeting templates for quick reuse

In case of recurring meetings in the same room and with the same participants (e.g. City Councils), creating a meeting template will make the preparation of the meeting faster and easier.



## Create and publish meetings

Create and publish meetings with an assigned room, a list of participants, an agenda, voting items and seat assignment. You can start from scratch or use a template created beforehand to save time. All the selected participants will receive an invitation email.



## Start and manage a meeting

The Confero 360 license is included in Confero PLAN, and the Meeting Manager will also be able to control the meetings, the microphones and the voting sessions, as well as view the meeting reports once the meetings are over.

## No installation

Confero PLAN integrates in the Plixus system. There is no need to install a dedicated software: whatever OS is running on your computer, open the Confero platform in your Chrome or Edge browser and start using the new features.

## Modular

In addition to Confero PLAN, you can combine additional functionalities such as Confero CAM and/or MEET: Adding Confero CAM offers the capability to deliver a professional and engaging video output for participants of a hybrid meeting or viewers of a live stream.

With Confero MEET, extend the meeting room with remote participants resulting in hybrid meeting capabilities with the same moderation and meeting control capabilities as the in-room solution.



71.98.3101



**CONFERO PLAN SUBSCRIPTION**

1 year Confero PLAN subscription

71.98.3102



**CONFERO PLAN SUBSCRIPTION**

2 years Confero PLAN subscription

71.98.3103



**CONFERO PLAN SUBSCRIPTION**

3 years Confero PLAN subscription

71.98.3104



**CONFERO PLAN SUBSCRIPTION**

4 years Confero PLAN subscription

71.98.3105



**CONFERO PLAN SUBSCRIPTION**

5 years Confero PLAN subscription


THE CONFERO 360 LICENSE (71.98.3000) IS INCLUDED IN THE YEARLY FEE AND SHOULD NOT BE ORDERED SEPERATELY.

## Confero functionalities overview

	Confero	Confero 360	Confero PLAN
TECHNICAL MEETING CONFIGURATION	Setup Wizard	✓	✓
	Devices setup	✓	✓
	License setup	✓	✓
	Interpretation configuration	✓	✓
	Audio configuration	✓	✓
	Diagnostics	✓	✓
	Dark mode	✓	✓
	Multilingual interface	✓	✓
	Audio recording (if applicable)	✓	✓
MEETING CONTROL & MANAGEMENT	Room layout		✓
	User roles		✓
	Single meeting template		✓
	Delegate information		✓
	Voting		✓
	Badge identification		✓
	Signage		✓
	Meeting reports		✓
MEETING PLANNING	Multiple meeting templates		✓
	Multiple organizations		✓
	Meeting room assignment		✓
	Agenda preparation		✓
	Voting session preparation		✓
	Publication of meetings		✓
	Delegates database management		✓

# Confero CAM

## Your hands-free camera director



Adds out-of-the-box  
**camera control** to  
your meeting room.

As a result, you do not need a production team to deliver a professional and engaging video output for participants of a hybrid meeting or viewers of a live stream. Confero CAM enables effortless meeting capture, streaming and increased engagement for your hybrid meetings.

# Ultimate flexibility

## Streaming

Transparency toward constituents and use of video for political marketing purposes is of growing importance. Confero CAM **provides professional looking video towards your streaming platform** of choice. No intervention of an IT person is required as streaming control is **automatically handled in the Confero interface**.



## Powerful now, scalable towards the future

We've built Confero as a powerful and scalable conference meeting platform. With a Plixus gateway available in the room, adding extra capabilities is as easy as adding licenses. No additional hardware investment is required so you leverage your initial investment.

The Confero platform currently exists of the following capabilities :

- + **Confero PLAN**  
meeting preparation and agenda management
- + **Confero CAM**  
hands-free camera director
- + **Confero MEET**  
Hybrid meeting with moderation capabilities

Addition of Confero PLAN and / or MEET will also provide additional functionality to Confero CAM.



EASILY SWITCH BETWEEN SEVERAL ROOM LAYOUTS SERVING MULTIPURPOSE SPACES

- + Support multiple meeting room setups
- + Handle larger rooms with support for up to 8 cameras
- + Two camera shots for each seat
- + Wide range of supported IP cameras
- + Modular solution that easily grows with your needs



### Confero CAM + PLAN

The video output will be enriched with an overlay of information like name of the speaker, discussed agenda topic and voting results. This happens automatically following the flow of the meeting so no need to switch information, one thing less to worry about.



### Confero CAM + PLAN + MEET

Adding Confero MEET in the mix adds the capability to extend the meeting room with remote participants resulting in hybrid meeting capabilities with the same moderation and meeting control capabilities as the in-room solution.

# Simplified installation and design choices

## **One device, lots of firepower**

The Plixus gateway combines camera control, video switcher and streaming device in a single box. Moreover it's readily available as no PC is required to get the solution operational. As configuration is web-based no installation is required and the software is always kept up to date.

## **Efficient & cost effective**

The speed for the installation can be reduced drastically. Instead of waiting for the equipment to be shipped, configuration of the room layout with seats and cameras can be prepared upfront in our Confero platform.

A single person can configure ideal camera shots for each position by moving from seat to seat and seeing the result right in front of him in the user interface.

Being an out-of-the-box solution no scarce control programming resources are needed to build a bespoke solution.

## **Optimize cabling**

From an installation point of view a single CAT5 cable provides power, control and video signals.

Less cabling requirements provide more flexibility in mounting the cameras at the optimal spot in the room resulting in better camera shots of the participants.

## **Choose your camera brand**

Besides the Lumens and Avonic cameras Televic offers, an extended list of widely used cameras is supported and will grow over time.

SCAN TO CONSULT  
supported camera list




### CURIOUS TO KNOW HOW IT WORKS?

Several Pan-Tilt-Zoom cameras are positioned throughout the meeting room. Each participant position gets two shots assigned from different cameras. When a participant gets to speak, the Confero CAM solution automatically selects the most appropriate camera and focusses on the speaker.

The result: an automatically created engaging video without moving camera images, instead smooth transitions are provided from one speaker to another.

# And compatible with Plixus

With a wide range of Televic conference solutions. Wired, wireless... audio, multimedia or a mix Confero can be easily integrated into the solution now or in the future.




# Confero MEET: The Software for Hybrid Council Meetings

## ARE YOU FAMILIAR WITH ANY OF THE FOLLOWING SITUATIONS?

- Disturbing sounds resulting from council members who forget to mute their microphone.
- Microphone not being activated when someone starts speaking.
- Questions being switched off, making it difficult to run the debate.
- Councillors talking at cross purposes.
- Voting being a cumbersome process.
- Unauthorised persons disrupting the meetings.

Each of these situations undermines the debate and makes the meeting inefficient. So get ready today for tomorrow's council meeting with Confero MEET.

Confero MEET is specially designed for councils and is the perfect solution for organising hybrid council meetings. Whether you are participating physically in the Council Chamber or remotely, Confero MEET guarantees the same meeting experience for everyone.



# Go for efficiency and security



## Designed for your council meetings

INCREASED PARTICIPATION OF YOUR LOCAL COUNCILLORS



## With End-to-end encryption

SECURITY GUARANTEED WITH PERSONAL LOGIN ON STANDARD WEB BROWSERS




## Real interactions in a virtual environment

FOCUS ON ACTIVE SPEAKER AND ONGOING DISCUSSION TOPIC

# Confero MEET

## For a smooth hybrid council conference




**Adding value** to hybrid debates and conferences.

The Confero MEET system offers enormous added value. The platform is **fully web-based**, which means that **no prior installation is required** and everyone can be invited. In addition, voting is integrated into the agenda items, making it easier to vote. Confero MEET is **very intuitive** to work with, for chairpersons as well as participants.



# Confero MEET



1. Meeting organizer invites participants to join and create their account for the Confero platform. Meetings can be prepared from anywhere and an agenda and voting items can be added upfront. Define the room the meeting will be hosted in and who is entitled to join in.
2. After publishing a prepared meeting a mail is send to all invited participants with a link that brings them to the Confero portal. In the portal participants can see a schedule of meetings they are invited to and can consult the agenda and voting items.
3. The chairperson or meeting operator can start a published meeting. Participants physically present in the meeting room use the conference equipment of the room.
4. Participants unable to make it in person will see the meeting appear in the Confero dashboard and can join the meeting with the same privileges as participants in the room. All from the comfort of their home or office using a standard browser.
5. Remote participants using the Confero MEET interface get a view on the discussed agenda topic and have the possibility to view the complete meeting agenda. They can consult who is present in the meeting, see who speaks or is in the request to speak list. Video wise the focus is on the active speakers who are shown in a split-screen view. This brings the conversation front center increasing the engagement and focus in the meeting.
6. Remote participants can request to speak when they want to share their opinion. By doing so they end up in the same request list as physical participants. So same privileges apply regardless of where you join from. From the remote participant interface presentations can also be shared.
7. When a topic comes to a vote, remote participants can vote right from their browser interface. The user interface brings focus to the voting options. For secret voting sessions no need to worry about confidentiality as Confero has end-to-end encryption.
8. Confero is a true hybrid conference meeting platform with moderation tools. Regardless of where you participate from, all moderation tools are handled in a single interface. As a chairperson in the room you can even use your conference device to moderate the discussion, activate agenda topic or start voting session. Really straightforward and reduces the clutter on the table from different control interfaces.
9. For in-room participants a signage screen shows the video of the active speakers in a split screen view. On top of the video information like speaker name, agenda topic and even voting results are visualized. When a presentation is being shared the presentation is shown front center with the view on the presenter in a picture in picture view.




Televic's platform ensures that our online meetings are **almost identical to the physical ones** that we used to have.

BERT MAERTENS, MAYOR OF IZEGEM

# For a clear and effective communication

Making sure the right people take part to an online conference is pivotal. Using Confero MEET easily let's you invite delegates, moderate the meeting, and keep track of the agenda. The hybrid solution brought by Confero MEET makes it possible to join the meeting in person or remotely.





## Operator and chairman view

When present in the room the operator or chairman can see the voting items, the list of people who have voted, what their vote was (if not secret) and the requests for the floor.

## Remote delegate view

Remote participants can vote electronically via the interface. Up to 5 choices are possible. Ballots can be public or secret.



## Operator and chairman view

After the meeting comes to an end a full report is available with general meeting information like date, time and duration but also participant attendance, results of voting session. When a recording was started, the audio file can be downloaded straight away.

71.98.3111



**CONFERO MEET SUBSCRIPTION**

1 year Confero MEET per concurrent remote participants

71.98.3112



**CONFERO MEET SUBSCRIPTION**

2 years Confero MEET per concurrent remote participants

71.98.3113



**CONFERO MEET SUBSCRIPTION**

3 years Confero MEET per concurrent remote participants

71.98.3114



**CONFERO MEET SUBSCRIPTION**


4 years Confero MEET per concurrent remote participants

71.98.3115




**CONFERO MEET SUBSCRIPTION**

5 years Confero MEET per concurrent remote participants



# CoCon

## Maximize the benefits of your devices



**Control and manage,** whatever the size, the room or the number of participants.

The modular CoCon architecture offers what you need. The CoCon modules **allow you to manage** the agenda, the **configuration** of the electronic voting, the speech times, the attendance, the mandates, etc. Combine all the modules for complex multilingual meetings, or only those you need for the discussion.

# CoCon software suites

71.98.1101



## COCON DISCUSSION

CoCon Discussion is the base for the CoCon Conference software suite. The server/client module is based on a database and contains several applications to support the preparation and administration process before, and the control during meetings:

CoCon Room Server, CoCon Room Configurator, CoCon Meeting Manager, Operator Application, Camera control for AMX, Creston, Extron, API available to communicate with third party applications

The CoCon Discussion module serves as the base for the suite and is required to run other plugin modules.

71.98.1102



## COCON SIGNAGE

CoCon Signage is the display application within the CoCon suite. It is a plugin for CoCon Discussion, which is required to run CoCon Signage. The module can be used to display information automatically to the delegates in the room using large screens or a projector. With an assistant, CoCon Signage can be configured to display a combination of information

A LICENCE IS REQUIRED FOR EACH DISPLAY SCREEN.

71.98.1104



## COCON VOTING

CoCon Voting is a module of CoCon suite. It is a plugin for CoCon Discussion, which is required to run CoCon Voting. This module allows to manage the parliamentary voting sessions, the administration of a voting item with the possibility to add items to the agenda, the voting management by the operator or chairperson, the collection and recording of the results, the final decision. In combination with CoCon Signage, this module allows to display the voting results to the participants in the room using large screens or a projector.

71.98.1105



## COCON AUTHENTICATION

CoCon Authentication is a module of the CoCon suite that manages the identification of the participants through badges and the authorization to vote. CoCon Voting is required. This module allows to organize meetings by using the principal of free seating. It is a plugin for CoCon Discussion, which is required for CoCon Authentication. If this plugin is used for the authorization to vote, CoCon Voting is required as well.

71.98.1107



### COCON INTERPRETATION

This module allows to use the Interpretation application for the advanced configuration of languages, channels and desks, and the control of the activity in the booths.

71.98.1108



### COCON IMPORT/EXPORT

This module offers additional functionalities to import and export data/statistics from/to CoCon in different formats (XML, Word) and advanced printing functionalities.

71.98.1112



### COCON AUDIO ROUTING

This licence allows the user to configure advanced audio routing between several inputs and outputs (Dante I/O, Auxiliaire I/O, microphone groups) with an intuitive user interface.

71.98.1109



### COCON DOCUMENTATION

With this module CoCon offers the additional functionalities to manage documents, as well as the addition of documents linked to the agenda.

71.98.1113



### COCON VIDEO ROUTING

Management software to configure the routing of video streams in the Plixus network between several inputs and outputs (Plixus V-IN, Plixus V-OUT, Plixus MME, Lingua ID-MM, uniCOS F/MM) with an intuitive user interface.

71.98.1110



### COCON MESSAGING/SERVICES

With this module, it is possible to send messages between the delegates, and between the delegates and the operator. In addition, the meeting can be improved by preset services (drinks, etc.). The delegates can request these services during the meeting. The catering staff can easily see the requests and take them into account.

71.98.1114



### COCON NAMEPLATE


Management software to easily and quickly configure the content of the Plixus Nameplates, even during the meeting: name of the participants, logos, combination of name and title of the participants. The data can be provided by existing databases of CoCon delegates or imported from an Excel List.

71.98.1115



### COCON INTERCOM

This module allows to activate the intercom functionality with Plixus conference devices. When configured, up to 25 simultaneous and private calls (point-to-point) between the chairperson units, delegate units and interpretation booths can be made during the meeting. In addition, the Dante channels can be configured to connect external interphone systems.




# T-REX

## Easily record audio from your meetings



Start with two channels or capture **up to 8 channels** simultaneously.

Easily **record multichannel audio** from your meetings with T-ReX. Use any pc to run the software and connect T-ReX to the conference system to conveniently create timestamps for events (mic activations, badge use, and more). Then, use the Transcription Tool to **easily transcribe events**, of the free Player to listen to recordings.




## T-REX

71.98.1004

Recording software of 2 audio channels with automatic label insert, overview of the agenda and the names of the delegates, USB soundcard (2 channels) included.

## Get everything you need to record your conference floor audio, and one additional channel.


- + Record 2 channels simultaneously
- + Runs on any standard pc
- + Automatically adds event timestamps when connected to the conference system
- + Add manual timestamps
- + Comes with a USB 2-channel audio capturing device.



## T-REX MULTICHANNEL

71.98.1006


Recording software of 8 audio channels with automatic label insert, audio card included, overview of the agenda and the names of the delegates, possibility to record up to 16 channels with the virtual soundcard Dante (not included).



## T-REX TRANSCRIPTION

71.98.1002

Transcription software including a USB pedal.



# Experience the next-level-sound- development

Our product range of microphone offers improved robustness and longevity thanks to a sturdy USB-C type connection. Made to match every Televic product, our microphones are easy to put into place. Simply push and lock to connect, and effortlessly remove from the station with a single push of the button. This way it reduces set-up and dismantle time with 66%!

But there is more. The newly designed microphone provides a consistent and higher bandwidth, lower equivalent noise, and a better front-to-back ratio. A frequency response boost around 4kHz ensures increased clarity and intelligibility.

# Microphones

## Guaranteed a warm and crisp sound



D-MIC makes sure you are **heard** with absolute **clarity**.

D-MIC offers **exceptional sound quality**. A removable screw-lock ensures flexibility and a **solid connection** to your device. D-MIC also guarantees **low susceptibility to mobile phones**. The light ring is dark (opaque) when the microphone is switched off, lights up red when active, and is green when in request.

# D-Mic products



71.98.0053

71.98.0055

71.98.0054

71.98.0057

## D-MIC SL

Gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.

D-MIC <b>30</b> SL:	300 mm gooseneck
D-MIC <b>40</b> SL:	400 mm gooseneck
D-MIC <b>50</b> SL:	500 mm gooseneck
D-MIC <b>70</b> SL:	700 mm gooseneck



71.98.0058

## D-MIC HANDHELD

Handheld microphone to integrate in the armrests of seats in the audience. Requires a custom interface (not included).



71.98.0059

## D-MIC 40 FF

40 cm fully flexible gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



71.98.0072

71.98.0073

## D-MIC 40 BROADCAST (HYPER)CARDIOID

40 cm gooseneck microphone with a broadcast performance, a (hyper)cardioid pick-up pattern, screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.

Perfect for the chairperson unit and press rooms.

Cardioid:	400 mm gooseneck
Hypercardioid:	400 mm gooseneck

# Mike products



71.98.0091

## MIKE PLM

Low-profile microphone of exceptional sound quality designed to give the user the possibility to view the meeting and be seen without any obstruction. Made to match the Confidea FLEX G4 habitat, it is easy to mount via a USB-C-based connector. Simply push and lock to connect it, and effortlessly remove it from the station with a single push of the button.

## Common features

- + Made to match the Confidea FLEX G4 habitat
- + Improved robustness thanks to USB-C-based connector
- + Simple push to connect it
- + Removable via a single push of the button
- + Configurable LED color
- + Audio parameters automatically adjusted by the unit
- + No interference from mobile phones



71.98.0093

71.98.0094

## MIKE PLM FLEX

Removable gooseneck microphone that provides exceptional sound quality and low susceptibility to interferences from mobile phones. The gooseneck design allows for a large freedom of movement. Made to match the Confidea FLEX G4 habitat, it is easy to mount via a USB-C-based connector. Simply push and lock to connect it, and effortlessly remove it from the station with a single push of the button.

Mike PLM **301F**: 300 mm gooseneck  
Mike PLM **401F**: 400 mm gooseneck



71.98.0095

71.98.0096

71.98.0098

## MIKE PLM DOUBLE FLEX

Removable gooseneck microphone that provides exceptional sound quality and low susceptibility to interferences from mobile phones. With flexible top and lower sections, it has been designed for precise positioning and low visibility during meetings. Made to match the Confidea FLEX G4 habitat, it is easy to mount via a USB-C-based connector.

Mike PLM **402F**: 40 mm Dual Flex gooseneck  
Mike PLM **502F**: 50 mm Dual Flex gooseneck  
Mike PLM **602F**: 60 mm Dual Flex gooseneck



### **Auto-audio**

AUDIO PARAMETERS  
AUTOMATICALLY ADJUSTED  
BY THE MIKE UNIT



### **Simple push to connect**

PLUG AND PLAY WAS NEVER  
SO EASY AS A SIMPLE  
'PUSH-IN'



### **No interference**

BUILT TO KEEP ALL  
INTERFERENCE OUT FROM  
MOBILE PHONES

# Headphones

## Lightweight and comfortable to wear



**Light pressure** on ear, ensuring hours of **comfortable** wear.

Enjoy lightweight headphones with great intelligibility and speech reproduction. The TEL152 was specially designed for conference settings. The adjustable headband makes it comfortable to use.

# Headphone products



## TEL 152

Lightweight & dynamic delegate stereo headphones, specially developed for modern conference applications.

Designed for comfortable use thanks to the adjustable headband

71.98.0154



71.98.0303

## HARD COVERS TEL 152

Hard covers for TEL 152, bag of 20.



71.98.1154

## SOFT COVERS TEL 152

Soft covers for TEL 152, bag of 20.



## EP 152

Lightweight & dynamic single earphones with a right-angled 3.5 mm jack connector. They deliver excellent speech reproduction for conference applications. Designed for comfortable use and can be used both on left and right ear. Compatible with the Plixus products and Lingua receiver.

THE EARPHONES ARE PACKED PER 10.

71.98.0155

# Cables & more

## Tackle the conferencing challenges



**Support** the Televic product range to get your message across each device.

**Good sound quality** is the backbone of any successful meeting. That is why it is crucial to choose the right accessory to **support your equipment**. Getting your message across in a clear, warm and natural way is important, especially when the subject is sensitive. With Televic accessories, you are sure to have an efficient meeting.

# Accessory products



71.43.2001

## MID

Blank RFID identification card (Mifare), not printed.



71.43.2002

## MID PROG

USB programmer for RFID identification cards (Mifare). Connects to CoCon PC. (CoCon Authentication required).



71.60.4002

71.60.4003

71.60.4005

71.60.4010

71.60.4020

## ICC5

CAT5E cable, AWG24, 4 pairs, S/FTP, black

ICC5/**2**: 2m cable  
ICC5/**3**: 3m cable  
ICC5/**5**: 5m cable  
ICC5/**10**: 10m cable  
ICC5/**20**: 20m cable



71.69.5530

## RJ45 - 8 PIN CONNECTOR

Connector set for 100 connectors.



04.57.5114

## CAT CABLE

Foldable 5 STP, 305 meters (black, 4 pairs, AWG24).

# The most complete portfolio in the industry

MULTIMEDIA  
VIDEO ENABLED  
PRODUCTS

TABLETOP



UNICOS T/MM10

FLUSHMOUNT



UNICOS F/MM7

INTERPRETER



LINGUA ID-MM

AUDIO ONLY  
WIRED



CONFIDEA FLEX



CONFIDEA F-BOX  
CONFIDEA FLUSHMOUNT



LINGUA ID

AUDIO ONLY  
WIRELESS



CONFIDEA FLEX G4



LINGUA R

PLUG & PLAY  
DISCUSSION



D-CERNO SL



D-CERNO F

VIDEO I/O



NAME PLATE



CAMERA TRACKING







## HQ Belgium

+32 51 30 30 45

[conference@televic.com](mailto:conference@televic.com)

[www.televic.com/en/conference](http://www.televic.com/en/conference)

## France

+33 3 74 09 52 76

[conference-france@televic.com](mailto:conference-france@televic.com)

[www.televic-conference.fr](http://www.televic-conference.fr)

## Asia

+86 21 61 48 01 23

[conference@televic.com](mailto:conference@televic.com)

[www.televic-conference.com.cn](http://www.televic-conference.com.cn)

## United States

+1 916 920 0901

[conference-us@televic.com](mailto:conference-us@televic.com)